

Audio set Siedle Basic
SET CAB 850-1 E/W

210008742-00



Product description

Siedle Basic audio set in bus technology with the functions calling, speech and door release.

Number of call buttons: 1

Each Basic set can be expanded with selected door and indoor stations and enhanced with switching functions and a telephony connection.

Scope of supply:

- Siedle Compact audio door station (CA 850-1 E)
- Audio indoor station Siedle Basic (AIB 150-...)
- Set line rectifier (SNG 850-...)

SNG 850-0 performance features

- 10 bus addresses for supplying the bus users
- Integrated door release and light contact
- Programming: manual, Plug+Play or PC software

Article information

Article designation	Article description	Colour/Material	KG	SAP article no.
SET CAB 850-1 E/W	Audio set Siedle Basic	Brushed stainless steel	A	210008742-00


Spare parts

Article designation	Article description	Colour/Material	KG	SAP article no.
AIB 150-...	Terminals	Blue	E	200049391-00
CA 812-..., BCV/BCVU/CA/CAU/CV/CVU/ STA/STV 850-...	Loudspeaker	Others	E	200029867-00
CA 812-..., CA/CAU 850-...	Insert for info sign	White	E	200029872-00
CA 812-..., CA/CAU/CVU 850-..., CV 850-x-03, -04	Microphone	Others	E	200029868-00
CA 812-..., CA/CV 850-..., BCV 850-...	Siedle screw-turner	Others	E	200029931-00
CA 812-1, CA 850-1 E	Upper part of the housing	Brushed stainless steel	E	210008751-00
CA 812-1, CA/CAU 850-1, BCV/BCVU/ CV/CVU 850-1-...	Nameplate superstructure	Clear glass	E	200029864-00
CA 812-1, CA/CAU 850-1, BCV/BCVU/ CV/CVU 850-1-...	Nameplate insert	White	E	200029869-00
CA 850-1 E	Siedle Compact audio door station	Brushed stainless steel	A	210008733-00

Audio set Siedle Basic
SET CAB 850-1 E/W

210008742

Page 2





Audio set Siedle Basic
SET CAB 850-1 E/W

210008742

Page 3

SET CAB 850-x E/W Audio set Siedle Basic	Product information	5,7 MB	Download
SNG 850-0 Set line rectifier	Declaration of Conformity	1,8 MB	Download
AIB 150-0 Audio indoor station Siedle Basic	Declaration of Conformity	1,8 MB	Download
	Additional information	109 kB	Download