



Product description

In-house telephone for 1+n technology with WLAN interface for mobile extension through the Siedle app.

With the call, speech, door release and light functions on the indoor station and on a smartphone with the Siedle app.

The storey call is also available on the in-house telephone.

Performance features:

- 2.4 GHz WLAN interface for the Siedle app
- Bluetooth 4.2 interface for commissioning
- The Siedle app behaves like an indoor device connected in parallel
- Additional indoor stations can be connected in parallel
- Door release and light button integrated
- Integrated audio privacy function
- Call volume up to max. 83 dB(A)

A maximum of 1 iOS or Android app user can be coupled with an IQ indoor station, others to follow via update.

Specifications

Operating voltage:	12–30 V DC
Operating current:	max. 300 mA
Ambient temperature:	+5 °C to +40 °C
Dimensions (mm) W x H x D:	91 x 201 x 48

Article information

Article designation	Article description	Colour/Material	KG SAP article no.
IQ HTS	Siedle IQ HTS	White	D 210009625-00




Accessories

Article designation	Article description	Colour/Material	KGSAP article no.
HH 800-0	Hearing aid-compatible receiver	White	E 200087165-00
HT/NB 800-0 W	In-house telephone retrofit panel	White	D 210008889-00
NEO006.0-I-X-12	Power supply unit	Black	D 210010421-00
PSM 1 12 24	Line rectifier	Others	D 210010340-00
ZT 811-01 W	Table-top accessory	White	C 210006820-00

Spare parts

Article designation	Article description	Colour/Material	KGSAP article no.
HT 811/840/850/870-... W	Receiver with no-tangle cord	White	E 200029573-00
HTS 811-...	Terminals	Grey	E 200029589-00
IQ HTA/HTS	Terminals	Others	E 210008887-00





Siedle IQ HTS
IQ HTS

Page 4

Siedle IQ HTS	Product information	980 kB	Download
Siedle IQ HTS	Manual	493 kB	Download